§51.2834

(See §51.2830.) Size: The diameter of onions of this grade shall be not less than 1 inch nor more than 1% inches. (See §51.2837.)

§ 51.2834 U.S. No. 1 Picklers.

U.S. No. 1 Picklers consists of onions which meet all the requirements for the U.S. No. 1 grade except for size. (See §51.2830.) Size: The maximum diameter of onions of this grade shall be not more than 1 inch. (See §51.2837.)

§ 51.2835 U.S. No. 2.

- U.S. No. 2 consists of onions which meet the following requirements:
 - (a) Basic requirements:
 - (1) One type;
 - (2) Mature; and,
 - (3) Not soft or spongy.
 - (b) Free from:

- (1) Decay;
- (2) Wet sunscald; and,
- (3) Scallions.
- (c) Free from serious damage caused by:
 - (1) Watery scales;
 - (2) Dirt or Staining;
 - (3) Foreign Matter;
 - (4) Seedstems;
 - (5) Sprouts;
 - (6) Mechanical;
 - (7) Dry sunken areas;
 - (8) Disease;
 - (9) Freezing;
 - (10) Insects; and,
 - (11) Other means.
 - (d) For tolerances see §51.2837.
- (e) Size. Unless otherwise specified, the diameter shall not be less than $1\frac{1}{2}$ inches. (See §§ 51.2836 and 51.2837.)

SIZE CLASSIFICATIONS

§ 51.2836 Size classifications.

The size of onions may be specified in accordance with one of the following classifications.

Size designation	Minimum diameter		Maximum diameter	
	Inches	Millimeters	Inches	Millimeters
Small Repacker/Prepacker1 Medium Large or Jumbo Colossal	1 1 ³ / ₄ 2 3 3 ³ / ₄	25.4 44.5 50.8 76.2 95.3	2 ¹ / ₄ 3 3 ¹ / ₄ (²) (²)	57.2 76.2 82.6

¹ In addition to the sizes specified, a lot of onions designated as Repacker or Prepacker shall contain at least 60 percent or more 2 inches or larger in diameter.

² No requirement.

TOLERANCES

§51.2837 Tolerances.

In order to allow for variations incident to proper grading and handling in each of the foregoing grades the following tolerances, by weight, are provided as specified:

- (a) For defects:
- (1) U.S. No. 1, U.S. Export No. 1, U.S. No. 1 Boilers and U.S. No. 1 Picklers grades.
- (i) Not more than 10 percent of the onions in a lot may be damaged by peeling; and,
- (ii) Not more than 5 percent of the onions in a lot may be below the remaining requirements of these grades, but not more than two-fifths of this

tolerance, or 2 percent, may be allowed for onions which are affected by decay or wet sunscald (see §51.2839.)

- (2) U.S. Commercial and U.S. No. 2 grades.
- (i) Not more than 5 percent of the onions in a lot may be below the requirements of these grades, but not more than two-fifths of this tolerance, or 2 percent, may be allowed for onions which are affected by decay or wet sunscald. (See §51.2839.)
 - (ii) [Reserved]
 - (b) For off-size:
- (1) U.S. No. 1, U.S. No. 1 Boilers, U.S. Commercial, and U.S. No. 2 grades. Not more than 5 percent of the onions in a

Agricultural Marketing Service, USDA

lot may be below the specified minimum size, and not more than 10 percent may be above any specified maximum size. (See §51.2839.)

(2) *U.S. No. 1 Pickler grade.* Not more than 10 percent of the onions in a lot may be above the maximum size specified for this grade. (See §51.2839.)

SAMPLES FOR GRADE AND SIZE DETERMINATION

§51.2838 Samples for grade and size determination.

Individual samples shall consist of at least 20 pounds for onions packed to meet larger than 2¼ inches maximum diameter. When individual packages contain 20 pounds or more and the onions are packed for Large or Jumbo size or larger the package shall be the sample. When individual packages contain less than 20 pounds, a sufficient number of adjoining packages are opened to provide at least a 20 pound sample, except that for onions packed to meet 2¼ inches maximum diameter or smaller, the sample may consist of either 20 pounds or the individual package.

APPLICATION OF TOLERANCES

§51.2839 Application of tolerances.

Individual samples are subject to the following limitations:

(a) Samples which contain more than 20 pounds shall have not more than one and one half times a specified tolerance of 10 percent or more, and not more than double a specified tolerance of less than 10 percent, except that at least one defective and one off-size onion may be permitted in any sample: Provided, that en-route or at destination when onions in containers of 50 pounds or more are packed to a minimum size of 3 inches or larger not more than three onions or more than 4 percent (whichever is the larger amount) may be affected by decay or wet sunscald: And provided further, that the averages for the entire lot are within the tolerances specified for the grade; and,

(b) Samples which contain 20 pounds or less shall have not more than double the tolerance specified, except that at least one defective and one off-size onion may be permitted in any sample:

Provided, that the averages for the entire lot are within the tolerances specified for the grade.

EXPORT PACKING REQUIREMENTS

§ 51.2840 Export packing requirements.

Onions specified as meeting Export Packing Requirements shall be packed in containers having a net capacity of 25 kilograms (approximately 56 pounds).

DEFINITIONS

§51.2841 Mature.

Mature means well cured. Midseason onions which are not customarily held in storage shall be considered mature when harvested in accordance with good commercial practice at a stage which will not result in the onions becoming soft or spongy.

§ 51.2842 Dormant.

Dormant means that at least 90 percent of the onions in any lot show no evidence of growth as indicated by distinct elongation of the growing point or distinct yellow or green color in the tip of the growing point.

§ 51.2843 Fairly firm.

Fairly firm means that the onion may yield slightly to moderate pressure but is not appreciably soft or spongy.

§51.2844 Fairly well shaped.

Fairly well shaped means having the shape characteristic of the variety, but onions may be slightly off-type or slightly misshapen.

§ 51.2845 Wet sunscald.

Wet sunscald means sunscald which is soft, mushy, sticky or wet.

§ 51.2846 Doubles.

Doubles means onions which have developed more than one distinct bulb joined only at the base.

§51.2847 Bottlenecks.

Bottlenecks are onions which have abnormally thick necks with only fairly well developed bulbs.